



NTN Bearing Driveshaft do Brasil

35 mm x 62 mm x 14 mm NTN
6007LLUAP63E/L020 Single row deep groove ball
bearings

Bearing No. 6007LLUAP63E/L020

d	35 mm
D	62 mm
B	14 mm
rs min	1 mm
Radial clearance class	C3
Mass	0.16 kg
Dynamic load, C	16 kN
Static load, C0	10.3 kN
Fatigue limit load, Cu	0.47 kN
f0	14.8
Nlim (grease)	6,800 rpm
Min operating temperature, Tmin	-10 ° C
Max operating temperature, Tmax	150 ° C
Characteristic cage frequency, FTF	0.42 Hz
Characteristic rolling element frequency, BSF	5.95 Hz
Characteristic outer ring frequency, BPF0	4.6 Hz
Characteristic inner ring frequency, BPFI	6.4 Hz
da min	40 mm
da max	42 mm
Da max	57 mm

6007LLUAP63E/L020 Bearing 2D drawings and 3D
CAD models



NTN Bearing Driveshaft do Brasil

ra max	1 mm
Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.152
Product Group	B04270
Enclosure	2 Seals
Precision Class	ABEC 3 ISO P6
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	0 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Steel
Rolling Element	Ball Bearing
Enclosure Type	Contact Seal
Flush Ground	No
Inch - Metric	Metric
Other Features	Single Row Deep Groove C3 Clearance Prelubricant
Long Description	35MM Bore; 62MM Outside Diameter; 14MM Width; 2 Seals Enclosure; ABEC 3 ISO P6 Precision; Steel Ball Material; 1 (Single) Bearing; 0 Degree Contact Angle; Steel Cage Material; Ball Bearing
Category	Precision Ball Bearings
UNSPSC	31171502
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball Deep Groove
Manufacturer URL	http://www.ntnamerica.co



NTN Bearing Driveshaft do Brasil

	m
Outside Diameter	2.441 Inch 62 Millimeter
Bore	1.378 Inch 35 Millimeter
Width	0.551 Inch 14 Millimeter